Green Innovators of Innovation

Technical Performance LS Cast Resin Transformers

• •

LS

•••

50kVA Through 15,000kVA Primary Voltage: 2.3kV Through 36kV Secondary Voltage: 120V Through 24kV



LS Cast Resin Transformer

Introduction

Great progress has been made in the development and improvement of distribution transformers over the last decades.


The application of high quality insulation material and suitable selection of the coil structure for high stress have contribute to the development of LS CAST RESIN Transformers.

The LS CAST RESIN Transformer has succeeded in combining the advantage of oil-filled and conventional dry type transformers, which are fabricated with an epoxy resin. The windings are completely embedded under vacuum conditions. This casting method makes it possible to assure void-free epoxy penetration of both the inner layer and turn to turn insulation.

CONTENTS

Applications	4
Feature	5
Construction	6
Specification	7
Technical Data (IEEE Standard)	9
Technical Data (IEC Standard)	11
Manufacturing Process	14
Quality Assurance	15
Ordering Sheet	16





Applications


LS CAST RESIN Transformers can be used in various fields. Here are just a few possible applications.

- Indoor and outdoor unit substations
- Off-shore flatforms
- Commercial buildings
- Hospitals
- Shopping centers
- Water supplies
- Traction systems
- SCR Power supplies
- Ships
- Power Plants











Environmentally safe

LS CAST RESIN Transformers will not emit oil or toxic gases into the atmosphere. Therefore, they do not pollute the environment and are strongly recommended as a replacement for askarel(PCB)-filled transformers.

High overload capability

Based on the high thermal time constant factor of the windings, LS CAST RESIN Transformers can be overloaded for a short duration considerably higher than oil-immersed transformers. It has a greater capability to withstand sudden high overloads such as might be encountered in heavy traction applications.

Moisture proof

The complete casting of coils under vacuum prevents the penetration of moisture into the winding.

Therefore, it is suitable for both storage and operation in harsh environment and is capable of being switched on immediately after such storage without pre-drying.

High impulse strength

LS CAST RESIN Transformers are very resistant to impulse voltage.


Impulse withstand levels to 200kV are available because of careful design and special structure.

🕗 No partial discharge

There is no possibility of partial discharge in LS CAST RESIN Transformers.

Whole core & coil is tested to guarantee the life expectancy of the insulation system.

LS CAST RESIN Transformers are free of partial discharge at least up to 1.3 times of the rated voltage.



🕙 Low noise

The coating of the core with an epoxy resin have lead to an appreciable noise reduction. Noise is also reduced due to the sound suppresing effect of the step lap cutting.

Maintenance free

Maintenance is almost completely eleminated. No checking of liquid level and no dielectric test for moisture absorption is required.

Due to the smooth coil surface, heavy dirt and dust build up is eleminated even under the worst circumstances.

The recommended routine maintenance is an occasional visual inspection.

Fire resistant

LS CAST RESIN Transformers have a very excellent characteristic of self fire-extinguishing and fire resistance. So there would be no fear of spread of fire even if fire took place around the electricity room.

Construction

LS CAST RESIN Transformers take pride in the ability to offer a wide variety of designs and configurations necessary to satisfy customer needs. Computer and CAD/CAM systems are used for quick and accurate design and manufacture to meet specific customer requirements.

🕗 CORE & FRAME

The core is made of highest quality, cold rolled, grainoriented, silicon steel and step lap joint.

Three legs of the core are arranged in a single plane and interconnected with a yoke.

The legs are circular structure and are carefully interlaced with stepwise arranged yokes.

The core is mitred at a 45 degree angle and care-fully stacked and pressed to obtain low loss, exciting current and noise.

The core is insulated on both side of each lamination and protected against corrision by a resin coating and grounded in frame.

The frame consists of upper and lower steel channels. It holds the core and coil together.

To protect against corrosion, all steel parts are coated with epoxy paint.

5 STEP LAP CORE

🕙 HV & LV Coils

- HV COIL (Vacuum Cast type)
 - HV COIL Vacuum Cast in epoxy with a mold.
 - Aluminum / Copper conductor.



LV COIL (Encapsulated Cast type)- standard

- LV COIL Encapsulated after winding with prepreg layer insulation.
- Aluminum / Copper conductor.



LV COIL (Vacuum Cast type)- optional

- LV COIL Vacuum Cast in epoxy with a mold.
- Aluminum / Copper conductor.




Conductor insulated with a high grade is used in the winding construction.

Turns are arranged in multiple sections and layers in order to decrease transient maximum voltages. High voltage windings are cast in a mold under vacuum, using a computer controlled mixing and vacuum casting process.

So there is no void in the coils. The windings are fiberglass reinforced to provide additional mechanical strength.

After assembly, all HV coils are partial dischage tested to verify void free in the coils.









Specification Data

LS CAST RESIN Transformers are normally available with specification as follows:

- Rated voltage
 HV COIL : up to 36kV
 LV COIL : up to 600V
 * Dual voltage coils can also be supplied.
- Standard Tapping range : ±2.5%, ±5%
 * Other ratings are available by request
- Power capacity

Single phase : $20 \sim 2,000$ kVA Three phase : $50 \sim 15,000$ kVA

- Frequency : 50Hz, 60Hz * Other frequency is available by request
- % Impedance voltage IEC STD. : 4.0 ~ 8.0%
 IEEE STD. : 5.75 ~ 8.0%
 * Other % impedance voltages are available.
- Connections

HV COIL : Delta LV COIL : Star with neutral point * Other connections are available to meet requirement.

- Temperature class (According to IEC 60076-11) HV COIL and LV COIL : F CLASS
 * H class coils are available by request.
- Conductor

Aluminum (standard) Copper (optional)

Noise Level (according to NEMA Std.)
 500kVA - 60dB
 750kVA - 64dB
 1000kVA - 64dB
 1500kVA - 65dB
 2000kVA - 66dB
 2500kVA - 68dB

*Noise reduction TRs are available by request.

Standards

LS CAST RESIN Transformers confirm to the requirements of IEC 60076-11 (2004).

However we can also meet the requirements of the following standards, upon request.

- IEEE C57.12.01 (2005) General requirement for dry-type distribution and power transformers.
- CSA Standard C9-02 (R2007) Dry type transformers.
- HD538.1,2,3(1995)
 3 Phase Dry type distribution transformers.
 50Hz from 100kVA to 2500kVA
- BS 7806 (1995)
 Dry type Power transformers
- AS 2374 (1982)
 - Power transformers
 - * Transformers for rectifier applications and other special purposes can be supplied according to the client's specification.

Certificates



Specification

Accessories

- Normally provided accessories
 - · HV & LV terminals
 - · Lifting lugs
 - · Grounding terminals
 - · Name plate
 - · Danger label
 - · Tap terminal link
 - · Protection cap for tap terminal
 - · Anti-vibration pads







Danger label





Tap terminal link

LV terminals







Wheels

Temperature controller





Enclosure



Optional accessories


- · Wheels
- · Cooling fan & temp. controller
- Digital thermometer & PT 100 OHM (1 Phase)
- Digital thermometer & PT 100 OHM (3 Phase)
- · Enclosure







Technical Data (IEEE Standard)












IEEE C 57.12.01 (2005) F CLASS, 90K TEMP.RISE, 60Hz 5kV CLASS, 75kV BIL

Rated	Impedance	No Load	Load	E	Efficiency (%) Dimension (mm)				nm)	
Power	Voltage	Loss	Loss	100%	75%	50%	Width	Depth	Height	Weight
(kVA)	(%)	(W)	(W)	Load	Load	Load	(W)	(D)	(H)	(kg)
500	5.75	1,300	6,000	98.5	98.7	98.8	1,290	800	1,430	1,350
750	5.75	1,750	8,000	98.7	98.8	98.9	1,380	900	1,600	1,790
1,000	5.75	2,300	8,600	98.9	99.0	99.1	1,510	1,000	1,710	2,350
1,500	5.75	3,150	10,200	99.1	99.2	99.2	1,690	1,000	1,790	3,250
2,000	5.75	3,900	12,500	99.1	99.2	99.2	1,805	1,200	2,050	4,150
2,500	5.75	4,900	13,500	99.2	99.3	99.3	2,015	1,200	2,100	5,150

Technical Data (IEEE Standard)









IEEE C 57.12.01 (2005) F CLASS, 90K TEMP.RISE, 50Hz 15kV CLASS, 110kV BIL


Rated	Impedance	No Load	Load	Efficiency (%)			Dii			
Power	Voltage	Loss	Loss	100%	75%	50%	Width	Depth	Height	Weight
(kVA)	(%)	(W)	(W)	Load	Load	Load	(W)	(D)	(H)	(kg)
500	5.75	1,550	5,600	98.5	98.7	98.8	1,390	900	1,640	1,600
750	5.75	2,150	6,700	98.8	98.9	98.9	1,495	920	1,700	2,050
1,000	5.75	2,700	8,400	98.9	99.0	99.0	1,660	1,005	1,780	2,650
1,500	6.00	3,600	9,100	99.1	99.2	99.2	1,840	1,025	1,885	3,650
2,000	6.00	4,550	13,300	99.1	99.2	99.2	1,945	1,200	2,140	4,450
2,500	8.00	5,100	15,000	99.2	99.2	99.3	2,160	1,200	2,160	5,250

Technical Data (IEC Standard)












Standard : IEC 60076-11 (2004) F CLASS, 100K TEMP.RISE, 50Hz 12kV CLASS, 75 BIL

Rated	Impedance	No Load	Load	E	fficiency (%	%)	Dii	mension (n	nm)	
Power	Voltage	Loss	Loss	100%	75%	50%	Width	Depth	Height	Weight
(kVA)	(%)	(W)	(W)	Load	Load	Load	(W)	(D)	(H)	(kg)
400	4.0	1,150	4,900	98.5	98.7	98.8	1,220	800	1,430	1,300
630	6.0	1,500	7,300	98.6	98.8	98.9	1,400	900	1,570	1,750
1,000	6.0	2,000	10,000	98.89	8.9	99.1	1,520	1,000	1,700	2,400
1,250	6.0	2,500	12,500	98.8	98.9	99.1	1,700	1,000	1,780	3,000
1,600	6.0	2,800	14,000	98.9	99.1	99.2	1,750	1,000	1,820	3,400
2,000	6.0	3,700	16,500	99.0	99.1	99.2	1,805	1,200	2,040	4,200
2,500	6.5	4,300	21,000	99.0	99.1	99.2	1,985	1,200	2,150	5,000
3,150	7.0	6,200	22,000	99.1	99.2	99.2	2,220	1,205	2,190	6,250

Technical Data (IEC Standard)









Standard : IEC 60076-11 (2004) F CLASS, 100K TEMP.RISE, 50Hz 24kV CLASS, 125 BIL


Rated	Impedance	No Load	Load	E	fficiency (%	%)	Dir	mension (n	nm)	
Power	Voltage	Loss	Loss	100%	75%	50%	Width	Depth	Height	Weight
(kVA)	(%)	(W)	(W)	Load	Load	Load	(W)	(D)	(H)	(kg)
400	6.0	1,200	5,500	98.3	98.5	98.7	1,360	840	1,500	1,400
630	6.0	1,650	7,800	98.5	98.7	98.8	1,450	905	1,670	1,850
1,000	6.0	2,300	11,000	98.6	98.8	99.0	1,675	1,000	1,810	2,700
1,250	6.0	2,850	13,000	98.7	98.9	99.0	1,750	1,010	1,860	3,100
1,600	7.0	3,100	16,000	98.8	99.0	99.1	1,810	1,200	2,060	3,650
2,000	7.5	4,050	17,500	98.9	99.0	99.1	1,950	1,200	2,120	4,450
2,500	7.5	5,000	21,000	98.9	99.1	99.1	2,155	1,200	2,190	5,400
3,150	7.5	6,500	22,000	99.1	99.2	99.2	2,305	1,215	2,250	6,600

Technical Data (IEC Standard)









Standard : IEC 60076-11 (2004)
F CLASS, 100K TEMP.RISE, 50Hz
36kV CLASS, 170 BIL

Rated	Impedance	No Load	Load	E	fficiency (%	%)	Dii	Dimension (mm)		
Power	Voltage	Loss	Loss	100%	75%	50%	Width	Depth	Height	Weight
(kVA)	(%)	(W)	(W)	Load	Load	Load	(W)	(D)	(H)	(kg)
630	6.5	2,200	8,000	98.4	98.6	98.6	1,700	1,105	1,920	2,500
1,000	7.0	3,100	11,500	98.5	98.7	98.8	1,835	1,125	1,980	3,200
1,250	7.0	3,700	14,000	98.6	98.7	98.8	1,850	1,220	2,190	3,700
1,600	7.5	4,200	17,000	98.6	98.8	98.9	2,030	1,250	2,250	4,500
2,000	7.5	5,350	19,000	98.7	98.9	99.0	2,225	1,300	2,330	5,350
2,500	8.5	6,100	20,000	98.9	99.0	99.1	2,440	1,330	2,360	6,400
3,150	9.5	7,400	22,000	99.0	99.1	99.1	2,555	1,350	2,390	7,250

Maunfacturing Process

CORE CUTTING



CORE STACKING



COIL WINDING



CASTING







Quality Assurance



😳 Routine Test

the following test are made on all transformer.

- Resistance measurements
- Ratio test
- Polarity and phase relation test
- Impedance and load loss
- No load loss and exciting current
- Applied potential tests
- Double induced potential test
- Partial diacharge test(below 10 PC)

Optional Test

Impulse test

- Temperature-rise test Temperature-rise test carried out according to the simulated loading method.
 - no load loss
 - load loss

The total temperature rise is calculated in accordance with IEC 60076-11 or IEEE

- Short circuit test
 - · 3P 1600kVA Certified by KEMA

Audible sound level test

- · test by IEC 60076-10
- · LS use Pressure Level (Lp).
- Lw(A) = Lp(A) + 10 LOG S
- S = 1.25 X H X P
- H : Transformer height
- P: Measurement contour perimeter
- Climatic, environmental and fire behaviour classes

Certificated at CESI according to IEC 60076-11
 Fire Behavior Class : F1
 Environmental Class : E2
 Climatic Class : C1
 Class C2 is available

ROUTINE TEST



IMPULSE TEST



SHORT CIRCUIT TEST



FIRE BEHAVIOR TEST



Ordering Sheet

Ref. No. :	
Date. :	

End User and Location :

ITEM		TR1	TR2	TR3	TR4				
Rated kVA									
Q'ty (sets)									
Rated Voltage(V)	Primary(V)								
Taled Vollage(V)	Secondary(V)								
Connection	Primary								
	Secondary								
Phase (🌶)									
% Impedance (%)									
1. Frequency		🗌 50Hz	□ 60Hz	Other					
2. Conductor		Maker Standard	Copper	🗌 Aluminum	Other				
3. Primary Taps		□ ±2 x 2.5%	□±2.5%	Other					
4. Applied standard				BS	Other				
5. Insulation Class									
Primary		Maker Standard(1	Other						
Secondary		☐ Maker Standard(155°C)							
6. Winding Temper	rature Rise								
Primary		Maker Standard		Other					
Secondary		Maker Standard		100°C □ 125°C	Other				
7. Accessories		Digital Thermometer							
		Cooling Fans cont	roller						
		Cooling fans	User Spec . (P V Hz)				
			Maker Standard.						
8. Protection			□ IP21	🗌 IP31	Other				
9. Attached specific	ation (\Box Yes , \Box	No), If "Yes" (Total)	page : pages)						
10. Remarks									
1.									
2.									
3.									

Memo



Memo



Green Innovators of Innovation



- · For your safety, please read user's manual thoroughly before operating.
- · Contact the nearest authorized service facility for examination, repair, or adjustment.
- · Please contact a qualified service technician when you need maintenance. Do not disassemble or repair by yourself!
- Any maintenance and inspection shall be performed by the personnel having expertise concerned.

LSIS Co., Ltd.

HEAD OFFICE

Korea Gyeonggi-do Anyang-si dongan-gu LS-ro 127 (Hogye-dong) Tel. (82-2)2034-4887, 4873, 4148 Fax. (82-2)2034-4648

CHEONG-JU PLANT

Cheong-Ju Plant #1, Song Jung Dong, Hung Duk Ku, Cheong Ju, 361-720, Korea

continuous product development and improvement.

© 2001.4 LSIS Co.,Ltd. All rights reserved.

www.lsis.com

Global Network

- LSIS (Middle East) FZE >> Dubai, U.A.E. Address: LOB 19 JAFZA VIEW TOWER Room 205, Jebel Ali Freezone P.O. Box 114216, Dubai, United Arab Emirates Tel: 971-4-886 5360 Fax: 971-4-886-5361 e-mail: dhleef@lsis.biz
- Dalian LSIS Co., Ltd. >> Dalian, China Address: No.15, Liaohexi 3-Road, Economic and Technical Development zone, Dalian 116600, China Tel: 86-411-8273-7777 Fax: 86-411-8730-7560 e-mail: tangyh@lsis.com.cn
- LSIS (Wuxi) Co., Ltd. >> Wuxi, China Address: 102-A , National High & New Tech Industrial Development Area, Wuxi, Jiangsu, 214028, P.R.China Tel: 86-510-8534-6666 Fax: 86-510-522-4078 e-mail: luw@lsis.com.cn
- LSIS-VINA Co., Ltd. >> Hanoi, Vietnam
- Address: Nguyen Khe Dong Anh Ha Noi Viet Nam Tel: 84-4-882-0222 Fax: 84-4-882-0220 e-mail: sjbaik@lsis.biz
- Address: 41 Nguyen Thi Minh Khai Str. Yoco Bldg 4th Floor, Hochiminh City, Vietnam Tel: 84-8-3822-7941 Fax: 84-8-3822-7942 e-mail: hjchoid@lsis.biz
- LSIS Shanghai Office >> Shanghai, China Address: Room 32 floors of the Great Wall Building, No. 3000 North Zhongshan Road, Putuo District, Shanghai, China Tel: 86-21-5237-9977 Fax: 89-21-5237-7189 e-mail: baijh@lsis.com.cn
- IB: 86-21-227-971 Fax: 09-21-9271 Fib: 0-entail: bail/testacontent
 LSIS Beijing Office >> Beijing, China Address: B-Tower 17FL.Beijing Global Trade Center B/D. No.36, BeiSanHuanDong-Lu, DongCheng-District, Beijing 100013, P.R. China Tel: 86-10-5825-6025,7 Fax: 86-10-5825-6026 e-mail: sunmj@lsis.com.cn

- LSIS Guangzhou Office >> Guangzhou, China
 Address: Room 1403, 14F, New Poly Tower, No.2 Zhongshan Liu Road, Guangzhou 510180, P.R. China
 Tel: 020-8326-6754 Fax: 020-8326-6287 e-mail: chenxs@lsis.com.cn
- LSIS Chengdu Office >> Chengdu, China Address: Room 1701 17Floor, huamin hanjun internationnal Building, No1 Fuxing Road Chengdu, 610016, P.R. China Tel: 86-28-8670-3201 Fax: 86-28-8670-3203 e-mail: yangcf@lsis.com.cn
- LSIS Qingdao Office >>> Qingdao, China Address: Room 2001 20/F, 7840, Galaxy Building, No.29 Shandong Road, Shinan District, Qingdao 266071, P.R. China Tel: 86-532-8501-6058 Fax: 86-532-8501-6057 e-mail: wangzy@lsis.com.cn
- LSIS NETHERLANDS Co.Ltd >> Schiphol-Rijk, Netherlands Address: 1st. Floor, Tupolevlaan 48, 1119NZ,Schiphol-Rijk, The Netherlands Tel: 31-20-654-1420 Fax: 31-20-654-1429 e-mail: junshickp@lsis.biz

LSIS Gurgaon Office >> Gurgaon ,India Address: 109 First Floor, Park Central, Sector-30, Gurgaon- 122 002, Haryana, India e-mail: hwyim@lsis.biz

LS Cast Resin Transformers 2001. 04/(14) 2013. 10 Printed in Korea STAFF